

RECEIVED
CENTRAL FAX CENTER

MAR 16 2006

March 16, 2006

TO: Commissioner for Patents
Facsimile Center
P.O. Box 1450
Alexandria, VA 22313-1450FROM: Pauly, DeVries Smith & Deffner
OUR REF: 00758.1099US01
FAX: 612-746-4781
TELEPHONE: 612-746-4783

FAX NUMBER: 571-273-8300

* Please deliver to Examiner Gilliam in Art Unit 2652. *

Document(s) Transmitted: Amendment and Response (7 pgs).


Total pages of this transmission, including cover letter: 8 pgs.

If you do NOT receive all of the pages described above, please telephone us at 612-746-4783, or fax us at 612-746-4781.

In re. Patent Application of: Randy J. LoganExaminer: Robert S. TupperSerial No.: 10/652,675Group Art Unit: 2652Filed: August 29, 2003Docket No.: 00758.1099US01Title: Integrated Chemical Breather Filter with High and Low Pressure Surfaces

Please consider this an extension of time, as necessary, and please charge any additional fees or credit overpayment to Deposit Account No. 50-3688.


By:



Name: Daniel M. Pauly

Reg. No.: Reg. No. 40,123

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.



Daniel M. Pauly

March 16, 2006

Date of Transmission

MAR 16 2006

AMENDMENT AND RESPONSE UNDER 37 CFR § 1.111

Serial Number: 10/652,675

Filing Date: August 29, 2003

Title: Integrated Chemical Breather Filter with High and Low Pressure Surfaces

Page 1

Dkt: 00758.1099US01

S/N 10/652,675**PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Randy J. Logan

Examiner: Robert S. Tupper

Serial No.: 10/652,675

Group Art Unit: 2652

Filed: August 29, 2003

Docket No.: 00758.1099US01

Title: Integrated Chemical Breather Filter with High and Low Pressure Surfaces

AMENDMENT AND RESPONSE UNDER 37 CFR § 1.111Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

This response is submitted pursuant to the Notice of Non-Compliant Amendment mailed 2/16/2006, which was objected to for containing cancelled claims that were presented with text. The listing of claims has been corrected below, and thus this Amendment and Response is provided as a substitute to the one filed on February 2, 2006.

Please amend the above-identified patent application as follows.

This response is accompanied by a Petition, as well as the appropriate fee, to obtain a 2-month extension of the period for responding to the Office action, thereby moving the deadline for response from 12/1/2005 to 2/1/2006.